
O.S. Seria: No.: 1BA Atty. Dkt. No.: 4730.00015 Inventor: K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

# 1/10

## FIGURE 1

#### MycoAlert - K562 Cell Culture





C.S. Scrial No.. TBA Atty. Dkt. No.. 4730.00015 Inventor. K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

# *2/10*

FIGURE 2

K562 JURKAT U937 K562T75 CHOmra COS-7 CHO COS-7 CM mra






O.S. Serial No.: TBA Atty. Dkt. No.: 4730.00015 Inventor: K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

3/10

#### FIGURE 3


#### Contaminated Cell Lines Treated With MRA



O:S-Senai No.: TBA Atty. Dkt. No.: 4730.00015 Inventor K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

4/10

FIGURE 4




List Serial No., 1 BA Atty, Dkt. No., 4730.00015 Inventor, K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

*5/10* 

## FIGURE 5

## Mycoplasma hyorhinis




U.S. Serial No.: TBA Atty. Dkt. No.: 4730.00015
liiventor: K.J. Slater, et. al.
Title: ASSAY METHODS AND MATERIALS

*6/10* 

## FIGURE 6






Senal No.: TBA Atty. Dkt. No.. 4730.00015 Inventor: K.J. Slater, ct. al. Title: ASSAY METHODS AND MATERIALS U.S. Serial No.: TBA

7/10


FIGURE 7

#### Mycoplasma orale - 1450 CFU Per Well



## FIGURE 8

#### Detection of Mycoplasma Orale




U.S. Serial No.: TBA Atty. Dkt. No.: 4730.00015 Inventor. K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

# *8/10*

## FIGURE 9

## K562 Mycoplasma (MH) Infected




C.S. Seriāi No., TBA Atty. Dkt. No., 4730.00015 Inventor: K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

9/10

## FIGURE 10

#### **Effect of Increasing Triton X-100 Concentrations**



U.S. Serial No.. TBA Atty. Dkt. No.. 4730.00015 Inventor. K.J. Slater, et. al. Title: ASSAY METHODS AND MATERIALS

# *10/10*

#### FIGURE 11

#### Effect of Triton on E.coli and M.hyorhinis

